

**To:** (b)(6) privacy  
**From:** CN=Cynthia Sonich-Mullin/OU=CI/O=USEPA/C=US  
**Sent:** Sun 10/21/2012 11:19:44 PM  
**Subject:** Fw: Pavillion Table  
Pavillion Phase5 methodcomparison 102112.docx

C. Sonich-Mullin  
Director  
NRMRL/ORD  
U.S. EPA  
Cin: 513-569-7923  
Cell: 513-560-5043

----- Original Message -----

From: Alice Gilliland  
Sent: 10/21/2012 07:18 PM EDT  
To: "Cynthia Sonich-Mullin" <sonich-mullin.cynthia@epa.gov>  
Subject: Fw: Pavillion Table

----- Original Message -----

From: Lauren Drees  
Sent: 10/21/2012 11:42 AM EDT  
To: Alice Gilliland  
Subject: Pavillion Table

Alice,

Here is the table which I just completed. Take a look and let me know if this is what you want. I added a couple of comments - you may want to remove them or add others.

Lauren

Lauren Drees, Director of QA  
USEPA/ORD/NRMRL  
26 W. Martin Luther King Dr. MS G-75  
Cincinnati, OH 45268

Phone: (513)569-7087  
Fax: (513)569-7585